

SAFETY BOX PALLET IN ST. ST. AISI 304 / ALUMINIUM

Ideal for the efficient flow of material and safe storage

YOUR BENEFITS

- GMP – compliant
- Safe transport and storage
- Versatile and flexible
- Easy to set up and take down
- Stackable
- Suitable for roller conveyors
- 100% recyclable

Safety box Pallet with doors and cover lockable type 100880



Part No.	External Dimensions	External Dimensions
	L X P X H mm	L X P X H mm
ISN 100880 St. St.	1400 x 1080 x 1212	1300 x 1000 x 1000
ISN 100880 AL	1400 x 1080 x 1212	1300 x 1000 x 1000

- Entry height long side: 98 mm
- Distance between the grid bars: 29.5 mm
- Cover opening angle: 80° approx.
- Door opening angle: 270° approx.
- Weight: 74 Kg +/-10%
- Loading capacity: 1000 Kg
- Firmly welded box pallet, lockable with doors and cover
- Cover with pneumatic spring action
- 2 wing doors
- 2 longitudinal skids
- Side walls and lid with grid bars
- Stackable

Standard box pallet type 100860



Part No.	Dimensions L X PX H mm
----------	------------------------

ISN 100860 St. St.	1200 x 800 x 875
--------------------	------------------

ISN 100860 AL	1200 x 800 x 875
---------------	------------------

- Number of cross bars: 7
- Distance between bars: 60 mm
- Ground clearance front face: 122 mm
- Entry height long side: 100 mm
- Distance between the grid bars: 77 mm
- Weight: 36 Kg +/- 10%
- Loading capacity: 1000 Kg
- Collapsible, stackable, consisting of:
 - 1 x standard base with skids
 - 2 x clip-on front walls with stack corners and suspensions lugs
 - 2 x insertable side walls

Compact box pallet type 100852



Part No.	Dimensions L X PX H mm
----------	------------------------

ISN 100852 St. St.	1200 x 800 x 875
--------------------	------------------

ISN 100852 AL	1200 x 800 x 875
---------------	------------------

- Number of longitudinal bars: 4
- Bar width: 80 mm
- Distance between bars: 64 mm
- Ground clearance on all sides: 120 mm
- Distance between the grid bars:
 - foldable long side wall: 79 mm
 - fixed side and front walls: 80 mm
- Weight: 30 Kg +/- 10%
- Loading capacity: 1000 Kg
- Stackable
- Version with ½ foldable long side wall
- Entry height long side: 98 mm

Foldable box pallet type 100050



Part No.	Dimensions L X PX H mm
----------	------------------------

ISN 100050 St. St. 1200 x 1016 x 936

ISN 100050 AL 1200 x 1016 x 936

- Number of cross bars: 9
- Distance between bars: 56 mm
- Ground clearance on all sides: 110 mm
- Distance between the grid bars: 73 mm
- Weight: 72 Kg +/- 10%
- Loading capacity: 1000 Kg
- Consisting of:
 - 1 x base with 4 feet
 - 2 x front walls
 - 2 x side walls
- Material: Stainless steel 1.4301
- Stackable

We build box pallets according to customer specifications
We make box pallets in stainless steel AISI 316

Pos.	Denominazione	Dimensione	Qta	Materiale	Disegno	Rev	Peso
REV.	DATA	DESCRIZIONE			FIRMA		
NOTE SENZA INDICAZIONE DI TOLLERANZA : GRADO DI PRECISIONE MEDIO UNI-EN 22769-1 -2							
		DISEGNATO Isola N	SCALA 1/15	DATA 13/03/06			
Lucca		COMMESSA		APPROVAZIONE			
#COM#				NOTE			
ST. ST. CLOSED CASE WITH PERFORED PANELS						DISEGNO	REV
AR0553						0	0

QUESTO DISEGNO NON PUO' ESSERE RIPRODOTTO O USATO SENZA NOSTRA AUTORIZZAZIONE SCRITTA
THIS DRAWING CANNOT BE REPRODUCED OR SHOWN UP TO THIRD PARTIES WITHOUT OUR WRITTEN APPROVAL